

CERTIFICATE OF ANALYSIS No.: 2021-3429

CLIENT

Hempika d.o.o., Cankarjeva ulica 84
5000 Nova Gorica, Slovenija



SAMPLE

CBD PASTE 20%

Sample condition: SUITABLE

Sample ID: 21640

Sample type: Resinous material

Batch No.: PA20021041A

Work order: 2021-104730

Analysis ID: 2021_032

Method ID: PHL_RPC_12C

Method SOP: MET-002

Sample received: 10/02/2021

Start of analysis: 10/02/2021

End of analysis: 12/02/2021

Analyst: Janez Gerdenc

| CANNABINOID PROFILE | Concentration [% w/w] | Expanded uncertainty [% w/w] | Graphic presentation of relative cannabinoid concentration |
|---|-----------------------|------------------------------|--|
| CBDV - Cannabidivarin | 3.35 | 0.17 | |
| CBDA - Cannabidiolic acid | 2.60 | 0.13 | |
| CBGA - Cannabigerolic acid | 0.056 | 0.017 | |
| CBG - Cannabigerol | 0.322 | 0.080 | |
| CBD - Cannabidiol | 18.01 | 0.90 | |
| THCV - Tetrahydrocannabivarin | 0.421 | 0.067 | |
| CBN - Cannabinol | < LOQ | n/a | |
| CBC - Cannabichromene | 0.054 | 0.012 | |
| THC - Δ-9-Tetrahydrocannabinol | 0.103 | 0.018 | |
| THCA - Δ-9-Tetrahydrocannabinolic acid | 0.050 | 0.011 | |
| 8-THC - Δ-8-Tetrahydrocannabinol * | < LOQ | n/a | |
| CBL - Cannabicyclol * | < LOQ | n/a | |

The results marked by * relate to non-accredited activity.

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received. Expanded Uncertainty was calculated using coverage factor $k = 2$, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

12/02/2021

Approved by:

mag. Marko Dragan
Analytical Laboratory Manager

Authorized by:

dr. Boštjan Jančar
Chief Technology Officer

End of Certificate